

Intel® Processor Pricing

Effective July 27, 2006

1Ku Tray Units

Intel® Core™ 2 Extreme processor ^{1,2} Desktop (LGA 775)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
X6800 (4M L2 cache 2.93 GHz 1066 MHz FSB 65nm)	-	\$999	-

Intel® Pentium® processor Extreme Edition ^{1,2} Desktop (LGA 775)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
965 (2x2M L2 cache 3.73 GHz 1066 MHz FSB 65nm)	\$999	\$999	-
955 (2x2M L2 cache 3.46 GHz 1066 MHz FSB 65nm)	\$999	\$999	-

Intel® Core™ 2 Duo processor ^{1,2} Desktop (LGA 775)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
E6700 (4M L2 cache 2.66 GHz 1066 MHz FSB 65nm)	-	\$530	-
E6600 (4M L2 cache 2.40 GHz 1066 MHz FSB 65nm)	-	\$316	-
E6400 (2M L2 cache 2.13 GHz 1066 MHz FSB 65nm)	-	\$224	-
E6300 (2M L2 cache 1.86 GHz 1066 MHz FSB 65nm)	-	\$183	-

Intel® Pentium® D processor ¹ Desktop (LGA 775)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
960 (2x2M L2 cache 3.60 GHz 800 MHz FSB 65nm) ²	\$530	\$316	40%
950 (2x2M L2 cache 3.40 GHz 800 MHz FSB 65nm) ²	\$316	\$224	29%
945 (2x2M L2 cache 3.40 GHz 800 MHz FSB 65nm)	-	\$163	-
940 (2x2M L2 cache 3.20 GHz 800 MHz FSB 65nm) ²	\$224	\$183	18%
930 (2x2M L2 cache 3 GHz 800 MHz FSB 65nm) ²	\$178	\$178	-
920 (2x2M L2 cache 2.80 GHz 800 MHz FSB 65nm) ²	\$178	\$178	-
915 (2x2M L2 cache 2.80 GHz 800 MHz FSB 65nm)	\$199	\$133	33%
840 (2x1M L2 cache 3.20 GHz 800 MHz FSB 90nm)	\$423	\$423	-
830 (2x1M L2 cache 3 GHz 800 MHz FSB 90nm)	\$316	\$316	-
820 (2x1M L2 cache 2.80 GHz 800 MHz FSB 90nm)	\$178	\$113	37%
805 (2x1M L2 cache 2.66 GHz 533 MHz FSB 90nm)	-	\$93	-

Intel® Pentium® 4 processor supporting Hyper-Threading Technology Desktop (LGA 775)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
670 ¹ (2M L2 cache 3.80 GHz 800 MHz FSB 90nm)	\$605	\$605	-
661 ¹ (2M L2 cache 3.60 GHz 800 MHz FSB 90nm)	\$401	\$183	54%
660 ¹ (2M L2 cache 3.60 GHz 800 MHz FSB 90nm)	\$401	\$401	-
651 ¹ (2M L2 cache 3.40 GHz 800 MHz FSB 90nm)	\$273	\$163	40%
650 ¹ (2M L2 cache 3.40 GHz 800 MHz FSB 90nm)	\$273	\$273	-
641 ¹ (2M L2 cache 3.20 GHz 800 MHz FSB 90nm)	\$218	\$163	25%
640 ¹ (2M L2 cache 3.20 GHz 800 MHz FSB 90nm)	\$218	\$218	-
631 ¹ (2M L2 cache 3 GHz 800 MHz FSB 90nm)	\$178	\$163	8%
630 ¹ (2M L2 cache 3 GHz 800 MHz FSB 90nm)	\$178	\$178	-
Desktop (LGA 775)	Price	Price	
571 ¹ (1M L2 cache 3.80 GHz 800 MHz FSB 90nm)	\$637	\$637	-
561 ¹ (1M L2 cache 3.60 GHz 800 MHz FSB 90nm)	\$417	\$417	-
551 ¹ (1M L2 cache 3.40 GHz 800 MHz FSB 90nm)	\$278	\$278	-
541 ¹ (1M L2 cache 3.20 GHz 800 MHz FSB 90nm)	\$218	\$84	61%
531 ¹ (1M L2 cache 3 GHz 800 MHz FSB 90nm)	\$178	\$74	58%
524 ¹ (1M L2 cache 3.06 GHz 533 MHz FSB 90nm)	-	\$69	-
521 ¹ (1M L2 cache 2.80 GHz 800 MHz FSB 90nm)	\$163	\$163	-

Intel® Celeron® D processor Desktop (LGA 775)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
356 ¹ (512k L2 cache 3.33 GHz 533 MHz FSB 90nm)	\$89	\$74	17%
355 ¹ (256k L2 cache 3.33 GHz 533 MHz FSB 90nm)	\$79	\$69	13%
352 ¹ (512k L2 cache 3.20 GHz 533 MHz FSB 90nm)	\$79	\$69	13%
351 ¹ (256k L2 cache 3.20 GHz 533 MHz FSB 90nm)	\$69	\$59	14%
346 ¹ (256k L2 cache 3.06 GHz 533 MHz FSB 90nm)	\$59	\$54	8%
341 ¹ (256k L2 cache 2.93 GHz 533 MHz FSB 90nm)	\$59	\$54	8%
336 ¹ (256k L2 cache 2.80 GHz 533 MHz FSB 90nm)	\$54	\$49	9%
331 ¹ (256k L2 cache 2.66 GHz 533 MHz FSB 90nm)	\$54	\$44	19%
326 ¹ (256k L2 cache 2.53 GHz 533 MHz FSB 90nm)	\$44	\$39	11%
Desktop (mPGA 478)	Price	Price	
350 (256k L2 cache 3.20 GHz 533 MHz FSB 90nm)	\$69	\$59	14%

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/products/processor_number for details

345 (256k L2 cache 3.06 GHz 533 MHz FSB 90nm)	\$59	\$54	8%
340 (256k L2 cache 2.93 GHz 533 MHz FSB 90nm)	\$59	\$54	8%
335 (256k L2 cache 2.80 GHz 533 MHz FSB 90nm)	\$54	\$54	-
330 (256k L2 cache 2.66 GHz 533 MHz FSB 90nm)	\$54	\$54	-
315 (256k L2 cache 2.26 GHz 533 MHz FSB 90nm)	\$39	\$34	13%

Intel® Centrino® Duo mobile technology	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
T2700 (2M L2 cache 2.33 GHz 667 MHz FSB) ² w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	-	\$704	-
T2700 (2M L2 cache 2.33 GHz 667 MHz FSB) ² w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	-	\$700	-
T2600 (2M L2 cache 2.16 GHz 667 MHz FSB) ² w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$491	\$490	0.20%
T2600 (2M L2 cache 2.16 GHz 667 MHz FSB) ² w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$487	\$486	0.21%
T2500 (2M L2 cache 2 GHz 667 MHz FSB) ² w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$362	\$361	0.28%
T2500 (2M L2 cache 2 GHz 667 MHz FSB) ² w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$358	\$357	0.28%
T2400 (2M L2 cache 1.83 GHz 667 MHz FSB) ² w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$309	\$308	0.32%
T2400 (2M L2 cache 1.83 GHz 667 MHz FSB) ² w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$305	\$304	0.33%
T2300 (2M L2 cache 1.66 GHz 667 MHz FSB) ² w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$309	\$308	0.32%
T2300 (2M L2 cache 1.66 GHz 667 MHz FSB) ² w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$305	\$304	0.33%
T2300E (2M L2 cache 1.66 GHz 667 MHz FSB) w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$277	\$276	0.36%
T2300E (2M L2 cache 1.66 GHz 667 MHz FSB) w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$273	\$272	0.37%

Intel® Centrino® mobile technology	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
T1400 (2M L2 cache 1.83 GHz 667 MHz FSB) w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$277	\$276	0.36%
T1400 (2M L2 cache 1.83 GHz 667 MHz FSB) w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$273	\$272	0.37%
T1300 (2M L2 cache 1.66 GHz 667 MHz FSB) w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$277	\$276	0.36%
T1300 (2M L2 cache 1.66 GHz 667 MHz FSB) w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$273	\$272	0.37%

Intel® Centrino® mobile technology	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
780 (2M L2 cache 2.26 GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2915ABG	\$701	\$701	-
780 (2M L2 cache 2.26 GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$698	\$698	-
780 (2M L2 cache 2.26 GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2200BG	\$698	\$698	-
780 (2M L2 cache 2.26 GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$695	\$695	-
770 (2M L2 cache 2.13 GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2915ABG	\$487	\$487	-
770 (2M L2 cache 2.13 GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$484	\$484	-
770 (2M L2 cache 2.13 GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2200BG	\$484	\$484	-
770 (2M L2 cache 2.13 GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$481	\$481	-
765 (2M L2 cache 2.10 GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2915ABG	\$486	\$486	-
765 (2M L2 cache 2.10 GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2915ABG	\$483	\$483	-
765 (2M L2 cache 2.10 GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2200BG	\$483	\$483	-
765 (2M L2 cache 2.10 GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2200BG	\$480	\$480	-
760 (2M L2 cache 2A GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2915ABG	\$358	\$358	-
760 (2M L2 cache 2A GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$355	\$355	-
760 (2M L2 cache 2A GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2200BG	\$355	\$355	-
760 (2M L2 cache 2A GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$352	\$352	-
755 (2M L2 cache 2 GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2915ABG	\$357	\$357	-
755 (2M L2 cache 2 GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2915ABG	\$354	\$354	-
755 (2M L2 cache 2 GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2200BG	\$354	\$354	-
755 (2M L2 cache 2 GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2200BG	\$351	\$351	-
750 (2M L2 cache 1.86 GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2915ABG	\$305	\$305	-
750 (2M L2 cache 1.86 GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$302	\$302	-
750 (2M L2 cache 1.86 GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2200BG	\$302	\$302	-
750 (2M L2 cache 1.86 GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$299	\$299	-
745 (2M L2 cache 1.80 GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2915ABG	\$304	\$304	-
745 (2M L2 cache 1.80 GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2915ABG	\$301	\$301	-
745 (2M L2 cache 1.80 GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2200BG	\$301	\$301	-
745 (2M L2 cache 1.80 GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2200BG	\$298	\$298	-
740 (2M L2 cache 1.73 GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2915ABG	\$273	\$273	-
740 (2M L2 cache 1.73 GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$270	\$270	-
740 (2M L2 cache 1.73 GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2200BG	\$270	\$270	-
740 (2M L2 cache 1.73 GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$267	\$267	-
735 (2M L2 cache 1.70A GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2915ABG	\$272	\$272	-
735 (2M L2 cache 1.70A GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2915ABG	\$269	\$269	-
735 (2M L2 cache 1.70A GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2200BG	\$269	\$269	-
735 (2M L2 cache 1.70A GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2200BG	\$266	\$266	-
730 (2M L2 cache 1.60B GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2915ABG	\$273	\$273	-
730 (2M L2 cache 1.60B GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$270	\$270	-

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/products/processor_number for details

730 (2M L2 cache 1.60B GHz 533 MHz FSB) w/ Intel 915 GM Chipset and Intel PRO/Wireless 2200BG	\$270	\$270	-
730 (2M L2 cache 1.60B GHz 533 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$267	\$267	-
725 (2M L2 cache 1.60A GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2915ABG	\$272	\$272	-
725 (2M L2 cache 1.60A GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2915ABG	\$269	\$269	-
725 (2M L2 cache 1.60A GHz 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2200BG	\$269	\$269	-
725 (2M L2 cache 1.60A GHz 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2200BG	\$266	\$266	-

LV Intel® Centrino® Duo mobile technology	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
L2400 (2M L2 cache 1.66 GHz 667 MHz FSB) ² w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$384	\$383	0.26%
L2400 (2M L2 cache 1.66 GHz 667 MHz FSB) ² w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$380	\$379	0.26%
L2300 (2M L2 cache 1.50 GHz 667 MHz FSB) ² w/ Intel 945 GM Chipset and Intel PRO/Wireless 3945ABG	\$352	\$351	0.28%
L2300 (2M L2 cache 1.50 GHz 667 MHz FSB) ² w/ Intel 945 PM Chipset and Intel PRO/Wireless 3945ABG	\$348	\$347	0.29%
LV / ULV Intel® Centrino® mobile technology	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
778 (2M L2 cache 1.60 GHz LV 400 MHz FSB) w/ Intel 915 GM or 915 GMS Chipset and Intel PRO/Wireless 2915ABG	\$348	\$348	-
778 (2M L2 cache 1.60 GHz LV 400 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$345	\$345	-
778 (2M L2 cache 1.60 GHz LV 400 MHz FSB) w/ Intel 915 GM or 915 GMS Chipset and Intel PRO/Wireless 2200BG	\$345	\$345	-
778 (2M L2 cache 1.60 GHz LV 400 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$342	\$342	-
758 (2M L2 cache 1.50 GHz LV 400 MHz FSB) w/ Intel 915 GM or 915 GMS Chipset and Intel PRO/Wireless 2915ABG	\$348	\$348	-
758 (2M L2 cache 1.50 GHz LV 400 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$345	\$345	-
758 (2M L2 cache 1.50 GHz LV 400 MHz FSB) w/ Intel 915 GM or 915 GMS Chipset and Intel PRO/Wireless 2200BG	\$345	\$345	-
758 (2M L2 cache 1.50 GHz LV 400 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$342	\$342	-
773 (2M L2 cache 1.30 GHz ULV 400 MHz FSB) w/ Intel 915 GM or 915 GMS Chipset and Intel PRO/Wireless 2915ABG	\$337	\$337	-
773 (2M L2 cache 1.30 GHz ULV 400 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$334	\$334	-
773 (2M L2 cache 1.30 GHz ULV 400 MHz FSB) w/ Intel 915 GM or 915 GMS Chipset and Intel PRO/Wireless 2200BG	\$334	\$334	-
773 (2M L2 cache 1.30 GHz ULV 400 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$331	\$331	-
753 (2M L2 cache 1.20 GHz ULV 400 MHz FSB) w/ Intel 915 GM or 915 GMS Chipset and Intel PRO/Wireless 2915ABG	\$326	\$326	-
753 (2M L2 cache 1.20 GHz ULV 400 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2915ABG	\$323	\$323	-
753 (2M L2 cache 1.20 GHz ULV 400 MHz FSB) w/ Intel 915 GM or 915 GMS Chipset and Intel PRO/Wireless 2200BG	\$323	\$323	-
753 (2M L2 cache 1.20 GHz ULV 400 MHz FSB) w/ Intel 915 PM Chipset and Intel PRO/Wireless 2200BG	\$320	\$320	-
733 (2M L2 cache 1.10A GHz ULV 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2915ABG	\$304	\$304	-
733 (2M L2 cache 1.10A GHz ULV 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2915ABG	\$301	\$301	-
733 (2M L2 cache 1.10A GHz ULV 400 MHz FSB) w/ Intel 855 GM Chipset and Intel PRO/Wireless 2200BG	\$301	\$301	-
733 (2M L2 cache 1.10A GHz ULV 400 MHz FSB) w/ Intel 855 PM Chipset and Intel PRO/Wireless 2200BG	\$298	\$298	-

Intel® Core™ Duo Processor Mobile (FCBGA6 / FCPGA6)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
T2700 (2M L2 cache 2.33 GHz 667 MHz FSB 65nm) ²	-	\$637	-
T2600 (2M L2 cache 2.16 GHz 667 MHz FSB 65nm) ²	\$423	\$423	-
T2500 (2M L2 cache 2 GHz 667 MHz FSB 65nm) ²	\$294	\$294	-
T2400 (2M L2 cache 1.83 GHz 667 MHz FSB 65nm) ²	\$241	\$241	-
T2300 (2M L2 cache 1.66 GHz 667 MHz FSB 65nm) ²	\$241	\$241	-
T2300E (2M L2 cache 1.66 GHz 667 MHz FSB 65nm)	\$209	\$209	-

Intel® Core™ Solo Processor Mobile (FCBGA6 / FCPGA6)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
T1400 (2M L2 cache 1.83 GHz 667 MHz FSB 65nm)	\$209	\$209	-
T1300 (2M L2 cache 1.66 GHz 667 MHz FSB 65nm)	\$209	\$209	-

Intel® Pentium® M processor Mobile (uFCBGA / uFCPGA)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
780 (2M L2 cache 2.26 GHz 533 MHz FSB 90nm)	\$637	\$637	-
770 (2M L2 cache 2.13 GHz 533 MHz FSB 90nm)	\$423	\$423	-
765 (2M L2 cache 2.10 GHz 400 MHz FSB 90nm)	\$423	\$423	-
760 (2M L2 cache 2A GHz 533 MHz FSB 90nm)	\$294	\$294	-
755 (2M L2 cache 2 GHz 400 MHz FSB 90nm)	\$294	\$294	-
750 (2M L2 cache 1.86 GHz 533 MHz FSB 90nm)	\$241	\$241	-
745 (2M L2 cache 1.80 GHz 400 MHz FSB 90nm)	\$241	\$241	-
740 (2M L2 cache 1.73 GHz 533 MHz FSB 90nm)	\$209	\$209	-
735 (2M L2 cache 1.70A GHz 400 MHz FSB 90nm)	\$209	\$209	-
730 (2M L2 cache 1.60B GHz 533 MHz FSB 90nm)	\$209	\$209	-
725 (2M L2 cache 1.60A GHz 400 MHz FSB 90nm)	\$209	\$209	-

LV/ULV Intel® Core™ Duo Processor Mobile (FCBGA6)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
--	---------------------------	---------------------------	------------

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/products/processor_number for details

L2400 (2M L2 cache 1.66 GHz 667 MHz FSB 65nm) ²	\$316	\$316	-
L2300 (2M L2 cache 1.50 GHz 667 MHz FSB 65nm) ²	\$284	\$284	-
U2500 (2M L2 cache 1.20 GHz 533 MHz FSB 65nm) ²	-	\$289	-

ULV Intel® Core™ Solo Processor Mobile (FCBGA6)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
U1400 (2M L2 cache 1.20 GHz 533 MHz FSB 65nm) ²	\$262	\$262	-
U1300 (2M L2 cache 1.06 GHz 533 MHz FSB 65nm) ²	\$241	\$241	-

LV/ULV Intel® Pentium® M processor Mobile (uFCBGA)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
778 (2M L2 cache 1.60 GHz LV 400 MHz FSB 90nm)	\$284	\$284	-
758 (2M L2 cache 1.50 GHz LV 400 MHz FSB 90nm)	\$284	\$284	-
773 (2M L2 cache 1.30 GHz ULV 400 MHz FSB 90nm)	\$273	\$273	-
753 (2M L2 cache 1.20 GHz ULV 400 MHz FSB 90nm)	\$262	\$262	-
733/733J (2M L2 cache 1.10A GHz ULV 400 MHz FSB 90nm)	\$241	\$241	-

Intel® Celeron® M processor Mobile (uFCBGA / uFCPGA)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
430 (1M L2 cache 1.73 GHz 533 MHz FSB 65nm)	\$134	\$134	-
420 (1M L2 cache 1.60 GHz 533 MHz FSB 65nm)	\$107	\$107	-
410 (1M L2 cache 1.46 GHz 533 MHz FSB 65nm)	\$86	\$86	-
390 (1M L2 cache 1.70 GHz 400 MHz FSB 90nm)	\$107	\$107	-
380 (1M L2 cache 1.60 GHz 400 MHz FSB 90nm)	\$86	\$86	-
370 (1M L2 cache 1.50 GHz 400 MHz FSB 90nm)	\$86	\$86	-
360/360J (1M L2 cache 1.40 GHz 400 MHz FSB 90nm)	\$86	\$86	-
350/350J (1M L2 cache 1.30 GHz 400 MHz FSB 90nm)	\$86	\$86	-

ULV Intel® Celeron® M processor Mobile (uFCBGA)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
423 (1M L2 cache 1.06 GHz uLV 533 MHz FSB 65nm)	\$161	\$161	-
383 (1M L2 cache 1 GHz uLV 400 MHz FSB 90nm)	\$161	\$161	-
373 (512k L2 cache 1 GHz uLV 400 MHz FSB 90nm)	\$144	\$144	-

Intel® Itanium® 2 processor Server/Workstation (PAC-611)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
9050 (24M L3 cache 1.60 GHz (104W) 400/533 MHz FSB 90nm) ²	-	\$3,693	-
9040 (18M L3 cache 1.60 GHz (104W) 400/533 MHz FSB 90nm) ²	-	\$1,980	-
9030 (8M L3 cache 1.60 GHz (104W) 400/533 MHz FSB 90nm) ²	-	\$1,552	-
9020 (12M L3 cache 1.42 GHz (104W) 400/533 MHz FSB 90nm) ²	-	\$910	-
9015 (12M L3 cache 1.40 GHz (104W) 400 MHz FSB 90nm) ²	-	\$749	-
9010 (6M L3 cache 1.60 GHz (75W) 400/533 MHz FSB 90nm) ²	-	\$696	-
1.66 GHz w/ 9M cache 667 MHz FSB (.13)	\$4,227	\$4,227	-
1.60 GHz w/ 9M cache 533 MHz FSB (.13)	\$4,227	\$4,227	-
1.66 GHz w/ 6M cache 667 MHz FSB (.13)	\$1,980	\$1,980	-
1.60 GHz w/ 9M cache 400 MHz FSB (.13)	\$4,227	\$4,227	-
1.60 GHz w/ 6M cache 533 MHz FSB (.13)	\$1,980	\$1,980	-
1.60 GHz w/ 6M cache 400 MHz FSB (.13)	\$1,980	\$1,980	-
1.50 GHz w/ 6M cache 400 MHz FSB (.13)	\$4,227	\$4,227	-
1.50 GHz w/ 4M cache 400 MHz FSB (.13)	\$910	\$910	-
1.40 GHz w/ 4M cache 400 MHz FSB (.13)	\$1,980	\$1,980	-
1.30 GHz w/ 3M cache 400 MHz FSB (.13)	\$910	\$910	-
1.60 GHz w/ 3M cache 533 MHz FSB (.13)	\$530	\$530	-
1.60 GHz w/ 3M cache 400 MHz FSB (.13)	\$530	\$530	-
1.40 GHz w/ 3M cache 400 MHz FSB (.13)	\$851	\$851	-
1.40 GHz w/ 1.5M cache 400 MHz FSB (.13)	\$851	\$851	-
1.30 GHz w/ 3M cache 400 MHz FSB (.13)	\$530	\$530	-
1 GHz w/ 1.5M cache 400 MHz FSB (.13)	\$530	\$530	-

Intel® Xeon® processor MP Server/Workstation (INT3)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
7041 (2x2M L2 cache 3 GHz 800 MHz FSB 90nm) ²	\$3,157	\$3,157	-
7040 (2x2M L2 cache 3 GHz 667 MHz FSB 90nm) ²	\$3,157	\$3,157	-
7030 (2x1M L2 cache 2.80 GHz 800 MHz FSB 90nm) ²	\$1,980	\$1,980	-
7020 (2x1M L2 cache 2.66 GHz 667 MHz FSB 90nm) ²	\$1,177	\$1,177	-
3.33 GHz w/ 8M iL3 cache 667 MHz FSB (90nm)	\$3,692	\$3,692	-
3 GHz w/ 8M iL3 cache 667 MHz FSB (90nm)	\$1,980	\$1,980	-

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/products/processor_number for details

2.83 GHz w/ 4M iL3 cache 667 MHz FSB (90nm)	\$1,177	\$1,177	-
3.66 GHz w/ 1M iL2 cache 667 MHz FSB (90nm)	\$963	\$963	-
3.16 GHz w/ 1M iL2 cache 667 MHz FSB (90nm)	\$722	\$722	-
3 GHz w/ 4M iL3 cache 400 MHz FSB (.13)	\$3,692	\$3,692	-
2.80 GHz w/ 2M iL3 cache 400 MHz FSB (.13)	\$3,692	\$3,692	-
2.70 GHz w/ 2M iL3 cache 400 MHz FSB (.13)	\$1,980	\$1,980	-
2.20 GHz w/ 2M iL3 cache 400 MHz FSB (.13)	\$1,177	\$1,177	-
2.50 GHz w/ 1M iL3 cache 400 MHz FSB (.13)	\$1,980	\$1,980	-
2 GHz w/ 1M iL3 cache 400 MHz FSB (.13)	\$856	\$856	-

Intel® Xeon® processor ² Server/Workstation (FC-LGA6)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
5160 (4M L2 cache 3 GHz (80W) 1333 MHz FSB 65nm)	-	\$851	-
5150 (4M L2 cache 2.66 GHz (65W) 1333 MHz FSB 65nm)	-	\$690	-
5140 (4M L2 cache 2.33 GHz (65W) 1333 MHz FSB 65nm)	-	\$455	-
5130 (4M L2 cache 2 GHz (65W) 1333 MHz FSB 65nm)	-	\$316	-
5120 (4M L2 cache 1.86 GHz (65W) 1066 MHz FSB 65nm)	-	\$256	-
5110 (4M L2 cache 1.60 GHz (65W) 1066 MHz FSB 65nm)	-	\$209	-
5080 (2x2M L2 cache 3.73 GHz (130W) 1066 MHz FSB 65nm)	\$851	\$851	-
5063 (2x2M L2 cache 3.20 GHz (95W) 1066 MHz FSB 65nm)	\$369	\$369	-
5060 (2x2M L2 cache 3.20 GHz (130W) 1066 MHz FSB 65nm)	\$316	\$316	-
5050 (2x2M L2 cache 3 GHz (95W) 667 MHz FSB 65nm)	\$177	\$177	-

Intel® Xeon® processor Server/Workstation (mPGA4 / MPGA)	June '06 (06/04) Price	July '06 (07/27) Price	% Decrease
2 GHz (31W) w/ 2M cache 667 MHz FSB (65nm)	\$423	\$423	-
1.67 GHz (31W) w/ 2M cache 667 MHz FSB (65nm)	\$209	\$209	-
2.80 GHz w/ 2x2M cache 800 MHz FSB (90nm)	\$1,043	\$1,043	-
3.80 GHz w/ 2M cache 800 MHz FSB (90nm)	\$851	\$851	-
3.60E GHz w/ 2M cache 800 MHz FSB (90nm)	\$690	\$690	-
3.40E GHz w/ 2M cache 800 MHz FSB (90nm)	\$455	\$455	-
3.20E GHz w/ 2M cache 800 MHz FSB (90nm)	\$316	\$316	-
3E GHz w/ 2M cache 800 MHz FSB (90nm)	\$247	\$247	-
2.80E GHz w/ 2M cache 800 MHz FSB (90nm)	\$193	\$193	-
3.20 GHz w/ 2M cache 800 MHz FSB (90nm) Mid Voltage	\$487	\$487	-
3 GHz w/ 2M cache 800 MHz FSB (90nm) Low Voltage	\$519	\$519	-
3.60 GHz w/ 1M cache 800 MHz FSB (90nm)	\$690	\$690	-
3.40 GHz w/ 1M cache 800 MHz FSB (90nm)	\$455	\$455	-
3.20D GHz w/ 1M cache 800 MHz FSB (90nm)	\$316	\$316	-
3D GHz w/ 1M cache 800 MHz FSB (90nm)	\$256	\$256	-
2.80D GHz w/ 1M cache 800 MHz FSB (90nm)	\$198	\$198	-
2.80 GHz w/ 1M cache 800 MHz FSB (90nm) Low Voltage	\$259	\$259	-

¹ Desktop processor supporting Intel® Extended Memory 64 Technology

² Processor supporting Intel® Virtualization Technology

Note: Prices subject to change without notice. Prices are for direct Intel customers in 1000-unit tray quantities and, unless specified, represent the latest technology versions of the products. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply.

Pricing information also available for Intel® Centrino® mobile technology using the Intel® PRO/Wireless 2100A.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/products/processor_number for details.

Hyper-Threading Technology requires a computer system with an Intel® Pentium® 4 processor supporting Hyper-Threading Technology and an HT Technology enabled chipset, BIOS and operating system. Performance will vary depending on the specific hardware and software you use. See <http://www.intel.com/info/hyperthreading/> for more information including details on which processors support HT Technology

Intel® Extended Memory 64 Technology (Intel® EM64T) requires a computer system with a processor, chipset, BIOS, operating system, device drivers and applications enabled for Intel EM64T. Processor will not operate (including 32-bit operation) without an Intel EM64T-enabled BIOS. Performance will vary depending on your hardware and software configurations. See <http://www.intel.com/info/em64t> for more information including details on which processors support EM64T or consult with your system vendor for more information.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/products/processor_number for details